



NORDCAPE

MANAGEMENT FZCO

CATALOGUE OF 2025

*Strength in Every Deal
Reliability Across Borders*

WhatsApp: +7 914 389 58 52

WhatsApp: +7 921 553 63 39

WhatsApp: +34 65 7215054

Email: intersteel@nordcape.ae

NORDCAPE MANAGEMENT FZCO

Address: Dubai Silicon Oasis, DDP,

Building A1, P.O. Box 342001

Dubai, UAE

Website:



COMPANY PROFILE

ABOUT US

We provide a wide range of metal products, including stainless steel, galvanized, carbon, aluminum products and copper-nickel alloy items such as tubes, sheets, and rounds, catering to diverse industrial needs.

We aim to contribute to the sustainable development of the region by providing industry with high-quality raw materials and metal products

24/7

available every day, we value lightning fast reaction as communication is the key

RELIABILITY

all products comply with all international standards

6 MILLION MT

metallurgical production
annual capacity

CONVENIENCE

flexible financial conditions
and competitive pricing



CATALOGUE OVERVIEW

Stainless Steel Series 04

1. Stainless Steel Plate
2. Stainless Steel Coil
3. Stainless Seamless Steel Pipe/Tube
4. Stainless Welded Pipe
5. Stainless Steel Bar
6. Stainless Steel Strip

Galvanized Steel 08

1. Galvanized Steel Sheet
2. Galvanized Steel Coil
3. Galvanized Steel Pipe
4. Galvanized Iron Wire
5. Galvanized Steel Strip
6. Galvanized Wire Mesh

Aluminium Series 12

1. Aluminum Plate
2. Aluminum Coil
3. Aluminum Pipe
4. Aluminum Rod
5. Aluminum Flat Bar
6. Aluminum Checkered Plate

Carbon Series 16

1. Carbon Steel Plate
2. Carbon Steel Coil
3. Carbon Seamless Steel Pipe
4. Carbon Welded Steel Pipe
5. Carbon Steel Bar

Steel Series 20

1. Steel Section
2. Beams
3. Steel Rebar
4. Steel Plates
5. Steel Slabs
6. Steel Sheet Pile
7. Hollow Section
8. Oil Casing
9. Round Square Steel Pipe

Copper Series 26

1. Copper Tube
2. Copper Plate

Chemical Series 28

1. Ferrous Alloys
2. Non-Ferrous Metals
3. Industrial Materials
4. Zirconium and Zirconium-Based Products
5. Chromium and Chromium-Based Products
6. Silicon and Silicon-Based Products
7. Manganese and Manganese-Based Products
8. Graphite and Carbon-Based Products
9. Apatite and Phosphate-Based Products

Specifications 31

1. Roofing Sheet
2. Galvalume Coil
3. Cold Rolled Grain-oriented Electrical Steel Coil
4. Lead Plate



NORDCAPE
MANAGEMENT FZCO




NORDCAPE
MANAGEMENT FZCO

SECTION 1:

STAINLESS STEEL

Stainless Steel Plate

Property	Details
Thickness	0.1-300 mm, or as Your request
Width	8-3000 mm, or as Your request
Length	1000-12000 mm, or as Your request
Standard	ASTM JIS AISI GB DIN EN ASME BS, etc.
Grade	201 202 304H 416 410S 347H 2Cr13 3Cr13 301 302 303 304 304L 309 309S 310 310S 316 316L 316Ti 317L 321 347 347H 201 202 202cu 204 409 409L 410 420 430 431 439 440 441 444 2205 2507 2906 330 660 630 631 17-4ph 17-7ph S31803 904L S22053 S25073 S22253 S31803 S32205 S32304 904L 347/347H 317/317L 316Ti 254Mo 254SMOS 32760 253MA N08926, etc.



Stainless Steel Coil



Property	Details
Width	100-2000mm, or as Your request
Thickness	0.15-120 mm, or as Your request
Standard	JIS AISI ASTM GB DIN EN, etc.
Grade	304 304L 316L 316Ti 309S 310S 321 321H314 2205 S32205 2507 S32750 600 631800H 825901 903 904L N08904 1.4529 N08926 317L 317LN 347H 348H (253MA S30815) 254SMO S31254 25-6MO S32760440A 440B 440CGH 3030GH 3039GH C276 HC-276 Hastelloy 724L 725LN, etc.


Stainless Seamless Steel Pipe/Tube

Property	Details
Thickness	0.1-150 mm, or as Your request
Diameter	6-2500 mm, or as Your request
Length	3000-12000 mm, or as Your request
Standard	ASTM DIN JIS GOST EN BS GB AISI SUS API, etc.
Grade	200 series 300 series 400 series A106/53/179/214/192/210 A/B/C ST37.2/35.4/35.8/52/52.3/52.4/42/45 10# P2 P12 P11 P22 P5 P9 P91 T2 T11 T5 T9 T22 4140 1Cr2Mo 15CrMo 12Cr2Mo 1Cr5Mo X42 X52 X60 X65 X70, etc.



Stainless Welded Pipe

Property	Details
Length	1000-12000 mm
Outer Diameter (OD)	10-2000 mm
Wall Thickness	0.4-50 mm
Standard	ASTM JIS GB AISI DIN BS EN, etc.
Grade	201 202 301 302 304 304L 310S 316 316L 321 430 430A 309S 2205 2507 2520 430 410 440 904L, etc.



STAINLESS STEEL

Stainless Steel Bar

Property	Details
Round Bar	Diameter: 0.1-500 mm, or as Your request
Square Bar	Size: 1-800 mm or as Your request
Flat Bar	Thickness: 0.3-200 mm Width: 1-2500 mm, or as Your request
Length	2m 5.8m 6m, or as Your request
Standard	JIS AISI ASTM GB DIN EN, etc.
Grade	201 202 301 304 304L 309S 310S 316 316L 317 317L 321 329 347 347H 410 420 430 S20100 S20200 S30100 S30400 S30403 S30908 S31008, etc.



Stainless Steel Strip



Property	Details
Weight	1000-6000 mm, or as Your request
Length	10-12000 mm, or as Your request
Thickness	0.1-20 mm, or as Your request
Standard	JIS SUS GB DIN ASTM AISI EN, etc.
Grade	201/202/301/303/304/304L/ 316/316L/321/310S/401/409/410/420J1/420J2/430/439/443/444, etc.



NORDCAPE
MANAGEMENT FZCO



SECTION 2:

GALVANIZED STEEL

GALVANIZED STEEL

Galvanized Steel Sheet

Property	Details
Spangle	Zero spangles (0.12-2.0 mm) 0.7-4 mm with small spangles regular (big) spangles
Thickness	0.12-6.0 mm, or as Your request
Width	600-2000 mm, or as Your request
Standard	AISI ASTM BS DIN GB JIS SUS EN, etc.
Grade	SGCC SGCH SGCH340 SG400 SG440 SGC490 SGC570 SGHC SGH340 SGH400 SGH440 SGH490 SGH540 DX51D DX52D DX53D DX54D S220GD S250GD S280GD S320GD S350GD S400GD S500GD S550GD SQ CR22 (230) SQ CR22 (255) SQ CR40 (275) SQ CR50 (340) SQ CR80(550) CQ FS DDS EDDS SQ CR33 (230) SQ CR37 (255) SQ CR40 (275) SQ CR50 (340) SQ CR80 (550), etc.



Galvanized Steel Coil

Property	Details
Width	40-1500 mm, or as Your request
Thickness	0.11-6.0 mm, or as Your request
Weight	3-8 MT/Coil, or as Your request
Standard	AISI ASTM DIN GB JIS SUS EN, etc.
Material	DX51D DX52D DX53D SGCC SGCH, etc.



GALVANIZED STEEL

Galvanized Steel Pipe

Property	Details
Length	1000-12000 mm, or as Your request
Diameter	20-500 mm, or as Your request
Thickness	0.1-300 mm, or as Your request
Standard	AISI ASTM DIN JIS GB SUS EN, etc.
Grade	Q195 Q215 Q235A Q235B Q235C Q235D Q255A 255B Q275 Q295A Q295B Q345B Q345C Q345D Q345E Q390A Q390B Q390C Q390D Q390E Q420 Q420B Q420C Q420D Q420E Q460D Q460E Q500D Q500E Q550D Q550E Q620D Q620E Q690D Q690E S185S235JR S275JR S355JR S420NL S460NL S500Q S550Q S620Q S690Q Grade B Grade C Grade D A36 Grade 36 Grade 40 Grade 42 Grade 50 Grade 55 Grade 60 Grade 65 Grade 80 SS330 SPHC SS400 SPFC SPHD SPHE, etc.



Galvanized Iron Wire

Property	Details
Model Number	Q195/Q235, or as Your request
Quality Standard	GB/T343; BS EN 10257-1:1998; GB/T3028; BS 4565; ASTM B-498: 1998; GB/T15393; BS EN 10244-2:2001
Tensile Strength	350-550 M
Coil Weight	1kg 25kg 100kg 500kgs/coi, or as Your request




GALVANIZED STEEL

Galvanized Steel Strip

Property	Details
Width	600-1500mm, or as Your request
Wall Thickness	0.12-4.60 mm, or as Your request
Standard	AISI ASTM BS DIN GB JIS, etc.
Grade	SGCC CGCC TDC51D+Z, etc.



Galvanized Wire Mesh



In Inch	Opening In Metric Unit (mm)	Wire Diameter BWG
1/4" x 1/4"	6.4 x 6.4 mm	BWG24-22
3/8" x 3/8"	10.6 x 10.6 mm	BWG22-19
1/2" x 1/2"	12.7 x 12.7 mm	BWG23-16
5/8" x 5/8"	16 x 16 mm	BWG21-18
3/4" x 3/4"	19.1 x 19.1 mm	BWG21-16
1" x 1/2"	25.4 x 12.7 mm	BWG21-16
1-1/2" x 1-1/2"	38 x 38 mm	BWG19-14
1" x 2"	25.4 x 50.8 mm	BWG16-14
2" x 2"	50.8 x 50.8 mm	BWG15-12
2" x 4"	50.8 x 101.6 mm	BWG15-12
4" x 4"	101.6 x 101.6 mm	BWG15-12
4" x 6"	101.6 x 152.4 mm	BWG15-12
6" x 6"	152.4 x 152.4 mm	BWG15-12
6" x 8"	152.4 x 203.2 mm	BWG14-12



NORDCAPE
MANAGEMENT FZCO

SECTION 3:

ALUMINUM SERIES

Aluminum Plate

Property	Details
Length	1000-12000mm, or as Your request
Width	600-1250mm, or as Your request
Thickness	0.15-200mm, or as Your request
Standard	GB/T3190-2008 GB/T3880-2006 ASTM B209 JIS H4000-2006, etc.
Grade	1000 Series: 1050 1060 1070 1100 1200 1235, etc. 2000 Series: 2A12 2014 2024, etc. 3000 Series: 3003 3004 3005 3104 3105 3A21, etc. 4000 Series: 4045 4047 4343, etc. 5000 Series: 5005 5052 5083 5086 5154 5182 5251 5754, etc. 6000 Series: 6061 6063 6082 6A02, etc. 7000 Series: 7050 7475 7075, etc. 8000 Series: 8011 8079, etc.



Aluminum Coil



Property	Details
Thickness	0.2-4 mm
Width	600-2000 mm
Aluminum Alloy	1050 3003 5052 6061 8011, etc.
Standard	ASTM B209 EN573-1, etc
Grade	1000/3000/6000 series, etc.

Aluminum Pipe

Property	Details
Length	50-12000 mm, or as Your request
Out Diameter	5-1250 mm, or as Your request
Wall Thickness	0.5-300 mm, or as Your request
Standard	JIS GB DIN ASTM EN, etc.
Grade	1000 series: 1050 1060 1100, etc. 2000 series: 2024, etc. 3000 series: 3003 3105, etc. 4000 series: 4045 4032, etc. 5000 series: 5052 5083 5086, etc. 6000 series: 6061 6063, etc. 7000 series: 7075 7050, etc.



Aluminum Rod



Property	Details
Diameter	5-650 mm, or as Your request
Length	100-12000 mm, or as Your request
Standard	ASTM EN DIN GB ISO JIS BA ANSI, etc.
Grade	1000 Series: 1050 1060 1070 1100 1200 1235, etc. 3000 Series: 3003 3004 3005 3104 3105 3A21, etc. 5000 Series: 5005 5052 5083 5086 5154 5182 5251 5754, etc. 6000 Series: 6005 6009 6010 6061 6063 6082 6201 6262 6463, etc. 7000 Series: 7050 7475 7075, etc.

Aluminum Flat Bar

Property	Details
Length	100-12000 mm, or as Your request
Width	20-3000 mm, or as Your request
Thickness	0.1-400mm, or as Your request
Standard	JIS GB DIN ASTM AISI EN, etc.
Grade	1000 Series: 1050 1060 1070 1100 1200 1235, etc. 3000 Series: 3003 3004 3005 3104 3105 3A21, etc. 5000 Series: 5005 5052 5083 5086 5154 5182 5251 5754, etc. 6000 Series: 6005 6009 6010 6061 6063 6082 6201 6262 6463, etc. 7000 Series: 7050 7475 7075, etc.



Aluminum Checkered Plate



Property	Details
Length	100-12000mm, or as Your request
Width	20-3000mm, or as Your request
Thickness	0.1-400mm, or as Your request
Standard	ASTM EN DIN GB JIS AISI, etc.
Grade	1000 Series: 1050 1060 1070 1100 1200 1235, etc. 3000 Series: 3003 3004 3005 3104 3105 3A21, etc. 5000 Series: 5005 5052 5083 5086 5154 5182 5251 5754, etc. 6000 Series: 6005 6009 6010 6061 6063 6082 6201 6262 6463, etc. 7000 Series: 7050 7475 7075, etc.



NORDCAPE
MANAGEMENT FZCO


SECTION 4:

CARBON SERIES

CARBON STEEL

Carbon Steel Plate

Property	Details
Length	1000-12000 mm, or as Your request
Width	600-1250mm, or as Your request
Thickness	0.2-300mm, or as Your request
Standard	JIS SUS GB DIN ASTM AISI EN, etc.
Grade	Q195-Q420 Series SS400-SS540 Series S235JR-S355JR Series ST Series A36-A992 Series Gr Series, etc.



Carbon Steel Coil



Property	Details
Thickness	0.2-100 mm, or as Your request
Width	1000-3000 mm, or as Your request
Coil Weight	3-30 MT/Coil, or as Your request
Standard	ASTM EN DIN GB ISO JIS BA ANSI AISI BS, etc.
Steel Grade	Q235B Q355B SS400 S235-S355JR series A36 65Mn 08F SAE1006 SAE1008 SAE1020 DD11-14 SPHT SPHC SGCC CGCC CJ500V Grade50 550L 610L 700L 750L 850L 450L 440L 510L Q195-Q420 series SS400-SS540 series ST series A36-A992 series GR50 series, etc.

CARBON STEEL

Carbon Seamless Steel Pipe

Property	Details
Length	1000-12000 mm, or as Your request
Outer Diameter	10-609 mm, or as Your request
Wall Thickness	0.2-300 mm, or as Your request
Standard	AISI ASTM DIN JIS GB JIS SUS EN, etc.
Grade	API A106 GR.B A53 Gr.B ASTM A106 Gr.B A53 Gr.B steel tube AP175-79 DIN215L ASTM A106 Gr.B ASTM A53 Gr.BASTM A179/A192/A213/A210 /370 WP91 WP11WP22 DIN17440 DIN2448JISG3452-54, etc.



Carbon Welded Steel Pipe


Property	Details
Length	1000-12000 mm, or as Your request
Outer Diameter	15-1200 mm, or as Your request
Wall Thickness	SCH10 SCH20 SCH30 STD SCH40 SCH60 SCH80 SCH100 SCH120 SCH160 XS XXS
Standard	ASTM JIS GB AISI DIN BS EN, etc.
Grade	API 5L ISO9001 SGS BV CCIC, etc.



CARBON STEEL

Carbon Steel Bar

Property	Details
Length	3000-6000mm, or as Your request
Diameter	5.5-250mm, or as Your request
Standard	ASTM GB JIS EN DIN ASTM A304-2004 JIS G3123-1987, etc.
Grade	Q195 Q235 10# 20# 35# 45# Q215 Q345 12Cr1Mov 15CrMo 304 316 20Cr 40Cr 20CrMo 35CrMo 42CrMo 40CrNiMo GCr15 65Mn 50Mn 50Cr 3Cr2W8V 20CrMnTi 5CrMnMo, etc.





NORDCAPE
MANAGEMENT FZCO

SECTION 5:

STEEL SERIES

Steel Section

Property	Details
Length	5000-19000 mm, or as Your request
Thickness	1.5-25 mm, or as Your request
Species	Angle Sections, Channel Sections, T-Sections, I-Sections, Round Bars, Square Bars, Flat Bars, Steel Plates, etc.
Material	ST 1-5PS/SP 12G2FD RST 37-2 ST 37-2 ST52-3 ST235JRG2 S235JO S235JR S355JR S235JRG1 SS400 S20C S45C 42CrMoA 195 Q235 Q345 304 316 L/Other Metal Materials, etc.



Beams



Property	Details
Term	H Beam & European Standard H Beam & British Standard H Beam & Wide Flange H Beam
Standard	GB/T706-2016 JIS G3101-2015 ASTM A992/A572 EN 10025, etc.
Grade	ST3PS 09G2S 12G2FD S235JO S235JR S235JRG1 S235JRG2 S355JR RST37-2 ST37-2 ST 52-3 Q235 Q355 SS400 SS490 A36 A572 GR50 S235JR S275JR S355JR, etc.

Steel Rebar

Property	Details
Size	6-50mm, or as Your request
Length	5000-12000 mm, or as Your request
Section Shape	Spiral Shape, Herringbone Shape, Crescent Shape
Grade	B; STKM11 ST37 ST52 16Mn PSB500 Grade40 Grade60 460B B500B S400W, HRB500 etc.
Standard	BS4449-2005 GB1449-2-2007 JIS G3112-2004 ASTM A615-A615M-04a, etc.



Steel Plates

Property	Details
Thickness	8-50 mm, or as Your request
Width	1800-2650 mm, or as Your request
Length	6000-12000 mm, or as Your request
Standards	GOST 14637-89 GOST 19281-89 GOST 5520 Russian River Register GOST 6713 GOST 1577-93 EN 10025-94 EN 10025-2:2004 ASTM A516/A516M-06 ASTM A131/A131M-08 ASTM A283/ASTM A285 ASTM A572/A572M-07 JIS G-3101-1995 DIN 17100 DIN EN 10028-2 ASTM A516/A516M-06 ASTM A131/A131M-08 ASTM A36/A36M-12, etc.
Steel Grade	st0 st1 2 3 4 5 st3gsp st3gps st5gps 09G2S 17GS 10G2S1 17G1S 09G2D 09G2 14G2 PPA PBB PPE PPD PPA32 PPD32 PPA36 PPD36 10KhSND 15 KhSND 08kp-ps 08 10-20kp-ps 20-60 S235JR/JO S275JR/JRG2 S275JO S450JO S355JR/JO A516/60 A516/70 A131A A A283C A285C A572/50 A572/42A 572/55 A572/60 A572/65 SS330 SS400 St37-2 St44-2 P235GH P265GH A516/60 MT LTV A516/70MT LTV A131 D A32 D32 A36 D36, etc.



Steel Slabs

Property	Details
Thickness	200-300 mm
Width	1000-1800 mm
Length	4500-12000 mm
Standards	GOST 19281 GOST 380 GOST 14959 GOST R 52927 ASNTM A 510M-03 TU U14-2-1253, etc.
Steel Grade	ST 1-5 PS /SP ST 10-85 SAE 1006 1008 1010 S235JRG2 S275JO D32 D36, etc.



Steel Sheet Pile



Property	Details
Standard	JG/T 196-2018 / EN 10248-1 / JIS A5528 / KS F4604 / ASTM A328/A328M, etc.
Grade	Q295P Q355P Q390P Q420P S270GP S355GP S390GP S430GP SY295/ SY390 SY300 SY400, etc.

Hollow Section

Property	Details
Square Tubes	12mm x 12mm - 400mm x 400mm, etc.
Rectangular Tubes	10mm x 20mm - 300mm x 500mm
Round Pipes	Ø19- Ø325mm
Thickness	0.4- 25mm
	Q195 Q235 SS400 STKR400 ASTM A500 GR A, etc,



Oil Casing

Property	Details
Outer Diameter	2 3/8" - 4 1/2" (60.3mm - 114.30mm), or as Your request
Wall Thickness	0.205" - 0.635", or as Your request
Size	Length: R1 (4.88mtr - 7.62mtr) R2 (7.62mtr - 10.36mtr) R3 (10.36mtr or longer), or as Your request
Standard & Grade	API5L ASTM A106/A53, etc.



Round/Square Steel Pipe

Property	Details
Wall Thickness	0.5-300 mm, or as Your request
Outer Diameter	10-1200 mm, or as Your request
Length	Length: Single random length/Double random length, or as Your request
Standard	API 5L ASTM A53-2007 ASTM A671-2006 ASTM A252-1998 ASTM A450-1996 ASME B36.10M-2004 ASTM A523-1996 BS 1387 BS EN10296 BS 6323 BS 6363 BS EN10219 GB/T 3091-2001 GB/T 13793-1992 GB/T9711, etc.
Grade	10# 20# 45# 16Mn A53(AB) Q235 Q345 Q195 Q215 St37 St42 St52.4 ST35, etc.





NORDCAPE
MANAGEMENT FZCO


SECTION 6:

COPPER SERIES


COPPER PRODUCTS

Copper Tube

Property	Details
Shape	Round Square Rectangular Oval Half-round
Round	OD: 2-914mm (1/16"-36") WT: 0.2-120mm (SCH5S-SCH160S)
Square	Size: 22-10161016mm (1/16"-40") WT: 0.2-120mm
Rectangular	Size: 24-10161219mm (1/16"-48") WT: 0.2-120mm
Length	1m 2m 3m 6m, or as Your request
Standard	ASTM AISI JIS GB DIN EN, etc.
Grade	T1 T2 C10100 C10200 C10300 C10400 C10500 C10700 C10800 C10910 C10920 TP1 TP2 C10930 C11000 C11300 C11400 C11500 C11600 C12000 C12200 C12300 TU1 TU2 C12500 C14200 C14420 C14500 C14510 C14520 C14530 C17200 C19200 C21000 C23000 C26000 C27000 C27400 C28000 C33000 C37000 C44300 C44400 C44500 C60800 C63020 C65500 C68700 C70400 C70600 C71000 C71500 C71520 C71640 C72200, etc.



Copper Plate



Property	Details
Length	100-12000 mm, or as Your request
Width	10-3000 mm, or as Your request
Thickness	0.1-300 mm, or as Your request
Standard	JIS GB DIN ASTM EN, etc.



NORDCAPE
MANAGEMENT FZCO

SECTION 7:

CHEMICAL SERIES

Material	Category
Ferrosilicon Manganese	Ferrous Alloys
Silicon Manganese	
Calcium Silicon	
Ferro Baron	
Ferrosilicon	
Ferrochrome	
Silicon Metal	Non-Ferrous Metals
Ferroniobium	
Ferromolybdenum	
Ferrotungsteno	
Ferrotitanium	
Tin Ingot	
Cobalt Sheet Metal	
Pure Calcium Metal	
Manganese Ingot	
Electrolytic Manganese	
Aluminum Ingot	
Zinc Ingot	
Magnesium Ingot	
Lead Ingot	
Metallurgical coke	Industrial Materials
Silicon Carbide	

Product Name	Chemical Properties
Mineral Additive Based on Zirconium Dioxide	ZrO ₂ -20-25% Al ₂ O ₃ -40-45% SiO ₂ -23-28% Na ₂ O-4-6%
Fluorosilicic Compound "KFM"	CaO-30-35% SiO ₂ -14-16% Al ₂ O ₃ -2-3% Na ₂ O-3-5% F-28-30%
Zirconium Concentrate "CK-1" or "CK-67"	ZrO ₂ -67% Al ₂ O ₃ -1% SiO ₂ -27% Na ₂ O-0.2% CaO+MgO0.6% Fe ₂ O ₃ -0.3%
Zirconium Silicate	ZrO ₂ -64-65% HfO ₂ -12% Al ₂ O ₃ -0.5-0.8% SiO ₂ -31.02% CaO-0.6-0.12% TiO ₂ -0.4-0.8 V ₂ O ₅ -0.082% PVP-0.5%
Zirconium Silicate (Alternative Process)	ZrO ₂ -64-65% HfO ₂ -12% Al ₂ O ₃ -0.5-0.8% SiO ₂ -31.02% CaO-0.6-0.12% TiO ₂ -0.4-0.8 V ₂ O ₅ -0.082% PVP-0.5%
Baddeleyite-Corundum Concentrate "BK33"	ZrO ₂ -31-33% HfO ₂ -0.84 Al ₂ O ₃ -42.28% SiO ₂ -13.31% Na ₂ O-6.76% CaO-3.16% Fe ₂ O ₃ -0.36%
Baddeleyite-Corundum Concentrate "BK40"	ZrO ₂ -37.5-41.5% HfO ₂ -0.98 Al ₂ O ₃ -42.1% SiO ₂ -12.98% Na ₂ O-0.69% CaO-0.4% Fe ₂ O ₃ -0.3%
Chromium Concentrate "HK42"	Cr ₂ O ₃ -35-42% MgO 12-20% Al ₂ O ₃ -8.2-9.5% SiO ₂ -1.87-3% CaO-0.12-0.52% TiO ₂ -0.05-0.13% Fe ₂ O ₃ -12-15% NiO-0.12-0.16%
Chromium Concentrate "HK48"	Cr ₂ O ₃ -46-50% MgO 18-20.7% Al ₂ O ₃ -7.0-8.5% SiO ₂ -7.3-11% CaO-0.12-0.52% TiO ₂ -0.05-0.13% Fe ₂ O ₃ -12-16% NiO-0.12-0.16%
Chromium Concentrate "HK54"	Cr ₂ O ₃ -54-56% MgO 12-14% Al ₂ O ₃ -2.0-5.0% SiO ₂ -6.2-8.0% CaO-0.22-0.42% TiO ₂ -0.05-0.13% Fe ₂ O ₃ -16.2-18% NiO-0.12-0.16%
Quartz Powder	SiO ₂ -97-97.9% TiO ₂ -<0.01% Al ₂ O ₃ -0.1% Fe ₂ O ₃ <0.005% FeO<0.005% MnO<0.01%
Manganese Concentrate	MnO ₂ -48.94% Fe ₂ O ₃ -3.5-4.5% SiO ₂ -4-6%
Graphite Concentrate	-
Apatite Concentrate	Al ₂ O ₃ -61% SiO ₂ -24%
Silicon Carbide	SiC
Electrocorundum	Al ₂ O ₃ -99.9%
Copper Concentrate	Cu ₂ O ₃ -30-40%
Vanadium Concentrate (Chemical Method)	V ₂ O ₃ -up to 50%
Tungsten Concentrate (Chemical Method)	WO ₃ -up to 66%
Molybdenum Concentrate (Chemical Method)	MoO ₂ -65%
Bauxite Concentrate	Al ₂ O ₃ -61% SiO ₂ -24%



NORDCAPE
MANAGEMENT FZCO

SPECIFICATION

ROOFING SHEET

Property	Details
Thickness	0.11-0.8mm, or as Your request
Width	20-1250mm, or as Your request
Length	As Your request
Certificate	API ce RoHS SNI BIS SASO PVOC SONCAP SABS sirm tisi KS JIS GS ISO9001
Coating	AZ10-AZ29 Z30-40 Z31-60 Z61-90, or as Your request
RAL Color	As Your request



NORDCAPE
MANAGEMENT FZCO

SPECIFICATION **GALVALUME COIL**

Property	Details
Thickness	0.12-5.0 mm, or as Your request
Width	40-1500 mm, or as Your request
Coil Weight	3-8 MT/Coil, or as Your request
Standard	AISI ASTM DIN JIS GB JIS SUS EN, etc.
Grade	DX51D+AZ DX52D++AZ DX53D++AZ DX54D++AZ S250GD+AZ S300GD+AZ S350GD+AZ S450GD+AZ S550GD+AZ, etc.



NORDCAPE

MANAGEMENT FZCO

SPECIFICATION

Cold Rolled Grain-oriented Electrical Steel Coil

Property	Details
Thickness	0.27-0.65 mm, or as Your request
Width	980-1100 mm, or as Your request
Coil Weight	3-5 MT/Coil, or as Your request
Standard	AISI ASTM BS DIN GB JIS, etc.
Grade	27QG100 27QG110 27QG120 27QG130 27QG140 30QG110 30QG120 30QG130 30Q140 30Q150 30QG125 35QG135 35QG145 35QG155 35QG165; 35W230 35W250 35W270 35W300 35W330 35W360 35W440 50W230 50W250 50W270 50W290 50W310 50W330 50W350 50W400 50W470 50W540 50W600 50W700 50W800 50W1000 50W1300 65W600 65W700 65W800 65W1000 65W1300 65W1600 M350-50A M400-50A M470-50A M530-50A M600-50A M700-50A M940-50A M310-65A M350-65A M400-65A M470-65A M530-65A M600-65A M700-65A M1000-65A M1300-100A, etc.



NORDCAPE
MANAGEMENT FZCO

SPECIFICATION

LEAD PLATE

Property	Details
Density	11.34/cm ³ , or as Your request
Purity	99.99%, or as Your request
Pb Equivalent (mm)	1Pb 2Pb 3Pb 4Pb 5Pb 6Pb 8Pb, etc.
Thickness	1-10 mm, or as Your request
Width	1000-2000 mm, or as Your request
Length	1000-5000 mm, or as Your request



NORDCAPE

MANAGEMENT FZCO

CATALOGUE OF 2025

*Strength in Every Deal
Reliability Across Borders*

WhatsApp: +7 914 389 58 52

WhatsApp: +7 921 553 63 39

WhatsApp: +34 65 7215054

Email: intersteel@nordcape.ae

NORDCAPE MANAGEMENT FZCO

Address: Dubai Silicon Oasis, DDP,

Building A1, P.O. Box 342001

Dubai, UAE

Website:

